

Spray Gun Manufacturer	Model	Use with 3M™ PPS™ Series 2.0 Adapter	Part Number	Thread Description
AirGunsa	AZ3 HTE 2	S43	20677	1/4 Male, 19 Thread BSP
AirGunsa	AZ3 HTE	S6	26036	1/4 Male, 19 Thread BSP
AirGunsa	AZ3 HV	S6	26036	1/4 Male, 19 Thread BSP
ANI	R1 Mini	S12	26022	10 mm Male, 1.0 mm Thread
ANI	F1-s HPS	S3	26033	3/8 Male, 19 Thread BSP
ANI	Compact	S12	26022	10 mm Male, 1.0 mm Thread
DeVilbiss	Compact Mini HVLP	S14	26044	7/16 Male, 14 Thread UNC
DeVilbiss	Compact Mini Trans Tech	S14	26044	7/16 Male, 14 Thread UNC
DeVilbiss	GTi 600G	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GTi Millennium 620G	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	JGA-535G	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	JGA-635G	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	FUN, Gravity	S10	26017	1/4 Female, R-angle 19 Thread BSP
DeVilbiss	JGX-501	S10	26017	1/4 Female, R-angle 19 Thread BSP
DeVilbiss	JGX-502	S10	26017	1/4 Female, R-angle 19 Thread BSP
DeVilbiss	TGHV-635 Mini	S10	26017	1/4 Female, R-angle 19 Thread BSP
DeVilbiss	Sri Mini	S14	26044	7/16 Male, 14 Thread UNC
DeVilbiss	SRIW Mini	S14	26044	7/16 Male, 14 Thread UNC
DeVilbiss	Sri Pro Mini	S14	26044	7/16 Male, 14 Thread UNC
DeVilbiss	Compact 506 gravity	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Compact 510 Trans Tech Gravity	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Compact G430	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	CVi 522G	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	CVi 620G	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	CVi 620GW	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	dRd	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	DV1	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	DV1S Smart Repair Gun	S14	26044	7/16 Male, 14 Thread UNC
DeVilbiss	EXL 620G	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG4 gravity models	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-615	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-635	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-643	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-645	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-647-WB	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-648	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-651G	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-653G	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-654	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-670	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-691	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Finishline FLG-695	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GFG-5	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GFG-516	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GFG-517	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GFG-618	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GFG-670 PLUS	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GFHV-510	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GTi 625G Waterborne	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GTi Millennium 2000	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GTi Pro Base	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GTi Pro Clear	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GTi Pro Digital	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	GTiW Waterborne	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	PRi 601G Primer	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	TEKNA	S3	26033	3/8 Male, 19 Thread BSP

Spray Gun Manufacturer	Model	Use with 3M™ PPS™ Series 2.0 Adapter	Part Number	Thread Description
DeVilbiss	TEKNA Copper	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	TEKNA ProLite	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	ProLiteS	S14	26044	7/16 Male, 14 Thread UNC
DeVilbiss	TEKNA QuickClean	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	FinishLine Master Kit Std.	S27	26119	16mm Male, 1.5mm Thread
DeVilbiss	StartingLine Std.	S27	26119	16mm Male, 1.5mm Thread
DeVilbiss	Finishline NTL-1261	S4	26119	12 mm Female, 1.0 mm Thread
DeVilbiss	GPG	S3	26033	3/8 Male, 19 Thread BSP
DeVilbiss	Neptune	S3	26033	3/8 Male, 19 Thread BSP
Fuji	T75G	S2	26032	16 mm Female, 1.5 mm Thread
Fuji	MPX-30 Gravity	S2	26032	16 mm Female, 1.5 mm Thread
Fuji	LX-20 Gravity	S2	26032	16 mm Female, 1.5 mm Thread
Graco	LT100 Mini	S21	26105	14 mm Female, 1.0 mm Thread
Graco	600 Side Cup Mount	S10	26017	1/4 Female, R-angle 19 Thread BSP
Graco	Delta GF	S3	26033	3/8 Male, 19 Thread BSP
Graco	LT200	S2	26032	16 mm Female, 1.5 mm Thread
Graco	LT300	S2	26032	16 mm Female, 1.5 mm Thread
Iwata	LPH-50 Mini	S10	26017	1/4 Female R-Angle, 19 Thread BSP
Iwata	LPH-100	S10	26017	1/4 Female R-Angle, 19 Thread BSP
Iwata	RG3L Mini Air Brush	S10	26017	1/4 Female R-Angle, 19 Thread BSP
Iwata	W-100G	S10	26017	1/4 Female R-Angle, 19 Thread BSP
Iwata	W71 Gravity Side Mount	S10	26017	1/4 Female R-Angle, 19 Thread BSP
Iwata	LPA-94	S2	26032	16 mm Female, 1.5 mm Thread
Iwata	LPH-400 LV	S2	26032	16 mm Female, 1.5 mm Thread
Iwata	LPH-400 LVB	S2	26032	16 mm Female, 1.5 mm Thread
Iwata	LPH-400 LVX	S2	26032	16 mm Female, 1.5 mm Thread
Iwata	LPH-440 Primer	S2	26032	16 mm Female, 1.5 mm Thread
Iwata	VXL949 Primer	S2	26032	16 mm Female, 1.5 mm Thread
Iwata	W400	S2	26032	16 mm Female, 1.5 mm Thread
Iwata	W400LV	S2	26032	16 mm Female, 1.5 mm Thread
Iwata	WR-400	S2	26032	16 mm Female, 1.5 mm Thread
Iwata	LPH-80 Mini	S31	26480	1/8 Male, 28 Thread BSP
Iwata	AZ3 HTE 2	S43	20677	1/4 Male, 19 Thread BSP
Iwata	LS-400 Series 1&2	S43	20677	1/4 Male, 19 Thread BSP
Iwata	WS-400 Series 1&2	S43	20677	1/4 Male, 19 Thread BSP
Iwata	WS-Primer Series	S44	20677	1/4 Male, 19 Thread BSP
Iwata	Wider4L	S43	20677	1/4 Male, 19 Thread BSP
Iwata	Kiwami 4	S43	20677	1/4 Male, 19 Thread BSP
Iwata	LPH-300	S6	26036	1/4 Male, 19 Thread BSP
Iwata	W300	S6	26036	1/4 Male, 19 Thread BSP
Iwata	W300LV	S6	26036	1/4 Male, 19 Thread BSP
Iwata	VX929	S2	26032	16 mm Female, 1.5 mm Thread
Sagola	475 Mini	S12	26022	10 mm Male, 1.0 mm Thread
Sagola	4400 Xtreme	S32	20458	18 mm Female, 1.5 mm Thread
Sagola	4500 Xtreme	S32	20458	18 mm Female, 1.5 mm Thread
Sagola	4600	S32	20458	18 mm Female, 1.5 mm Thread
Sagola	4100 GTO	S32	20458	18 mm Female, 1.5 mm Thread
Sagola	403-G	S5	26006	12 mm Male, 1.5 mm Thread
Sagola	433-G	S5	26006	12 mm Male, 1.5 mm Thread
Sagola	434-G	S5	26006	12 mm Male, 1.5 mm Thread
Sagola	444-G	S5	26006	12 mm Male, 1.5 mm Thread
Sagola	450-G	S5	26006	12 mm Male, 1.5 mm Thread
Sagola	3300-G	S5	26006	12 mm Male, 1.5 mm Thread
Sagola	4100-G	S5	26006	12 mm Male, 1.5 mm Thread
Sagola	4200-G	S5	26006	12 mm Male, 1.5 mm Thread
Sagola	Classic Pro	S5	26006	12 mm Male, 1.5 mm Thread
Sagola	Mini Extreme	S5	26006	12 mm Male, 1.5 mm Thread
Sagola	Classic LUX	S6	26036	1/4 Male, 19 Thread BSP
SATA	Minijet 4400 B HVLP QCC	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	Minijet 4400 B RP QCC	<u>S40A</u>	20573A	Trapezoidal Thread

Spray Gun Manufacturer	Model	Use with 3M™ PPS™ Series 2.0 Adapter	Part Number	Thread Description
SATA	Minijet 4 HVLP QCC	S41	20587	Trapezoidal Thread
SATA	LM-92	S9	26039	16 mm Male, 1.5 mm Thread
SATA	Dekor 2000	S12	26022	10 mm Male, 1.0 mm Thread
SATA	Minijet 1	S12	26022	10 mm Male, 1.0 mm Thread
SATA	Minijet 2	S12	26022	10 mm Male, 1.0 mm Thread
SATA	Minijet 3	S12	26022	10 mm Male, 1.0 mm Thread
SATA	KL-Primer	S5	26006	12 mm Male, 1.5 mm Thread
SATA	MCB-93	S5	26006	12 mm Male, 1.5 mm Thread
SATA	KLC-B	S9	26039	16 mm Male, 1.5 mm Thread
SATA	KLC-P	S9	26039	16 mm Male, 1.5 mm Thread
SATA	KLC-RP	S9	26039	16 mm Male, 1.5 mm Thread
SATA	LM 2000 B	S9	26039	16 mm Male, 1.5 mm Thread
SATA	LM 2000 K	S9	26039	16 mm Male, 1.5 mm Thread
SATA	MCB Primer	S9	26039	16 mm Male, 1.5 mm Thread
SATA	MCB-90	S9	26039	16 mm Male, 1.5 mm Thread
SATA	2000 HVLP QCC	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	90	S9	26039	16 mm Male, 1.5 mm Thread
SATA	B	S2	26032	16 mm Female, 1.5 mm Thread
SATA	B NR-92	S2	26032	16 mm Female, 1.5 mm Thread
SATA	B NR-95	S2	26032	16 mm Female, 1.5 mm Thread
SATA	100 BF QCC	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	1000 B	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	1500	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	2000	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	3000	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	4000	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	5000	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	5500	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	JetX	<u>S40A</u>	20573A	Trapezoidal Thread
SATA	90-2 HVLP	S9	26039	16 mm Male, 1.5 mm Thread
SATA	90-2 RP	S9	26039	16 mm Male, 1.5 mm Thread
SATA	NR2000 HVLP	S9	26039	16 mm Male, 1.5 mm Thread
SATA	NR 2000 RP	S9	26039	16 mm Male, 1.5 mm Thread
Snap-On	Blue Point BF325 Mini	S21	26105	14 mm Female, 1.0 mm Thread
Snap-On	Blue Point BLP10	S27	26119	16 mm Male, 1.5 mm Thread
Snap-On	Blue Point BLP13	S27	26119	16 mm Male, 1.5 mm Thread
Snap-On	Blue Point BLP14	S27	26119	16 mm Male, 1.5 mm Thread
Snap-On	Blue Point BLP15	S27	26119	16 mm Male, 1.5 mm Thread
Snap-On	Blue Point BLP16	S27	26119	16 mm Male, 1.5 mm Thread
Snap-On	Blue Point BLP18	S27	26119	16 mm Male, 1.5 mm Thread
Spanesi	Slim	S8	26015	12 mm Male, 1.0 mm Thread
U-Pol	Maximum	S2	26032	16 mm Female, 1.5 mm Thread
U-Pol	Maximum Mini	S21	26105	14 mm Female, 1.0 mm Thread
Walcom	Genesis Series	S9	26039	16 mm Male, 1.5 mm Thread
Walcom	Geo THE	S9	26039	16 mm Male, 1.5 mm Thread
Walcom	Slim Kombat Series	S9	26039	16 mm Male, 1.5 mm Thread
Walcom	Slim Xlight HTE	S8	26015	12 mm Male, 1.0 mm Thread
Walcom	EGO	S8	26015	12 mm Male, 1.0 mm Thread
Walcom	GEO F/X	S8	26015	12 mm Male, 1.0 mm Thread
Walcom	Asturomec 8011	S8	26015	12 mm Male, 1.0 mm Thread